



TIMARINE

SHIP MANAGEMENT

TIM-PSV029

**Buque de suministros a plataformas /
PSV (Platform Supply Vessel)**

WWW.TIMARINESHIPPING.COM

REGISTRO REGISTRATION

TIPO	Buque de suministros a plataformas /
TYPE	PSV (Platform Supply Vessel)
CONSTRUIDO	2010
BUILT	
BANDERA	Mexicana 
FLAG	Mexican
PUERTO DE REGISTRO	
PORT OF REGISTER	Cd. Del Carmen Carmen, Campeche
CLASIFICACIÓN	(LRS) 100A1, Fire Fighting 1 (2400 m³/h) with
CLASSIFICATION	water spray, LMC, DP (AA)
MATRÍCULA	XXXX
REGISTRATION	
SEÑAL DE LLAMADA	XXXX
CALL SIGN	
Número IMO	XXXX
IMO NUMBER	
ASTILLERO	Hoop International Lobith B.V.
SHIPYARD	

CAPACIDADES CAPACITIES

ALOJAMIENTO

30 Pasajeros (tripulación incluida)

ACCOMODATION

30 Passengers (crew included)

DETALLES

Cabins fully equipped with air conditioner, heat and sound insulated

DETAILS

CUBIERTA LIBRE

430 m²

CLEAR DECK

4,628 ft²

COMBUSTIBLE

599 m³

FUEL

158,239 usg

AGUA POTABLE

93 m³

POTABLE WATER

24,568 usg

AGUA DE LASTRE

700 m³

BALLAST WATER

184,920 usg

LODO LÍQUIDO

430 m³

LIQUID MUD

113,593 usg

SALMUERA

116 m³

BRINE

30,643 usg

CARGA A GRANEL

225 m²

BULK CARGO (SILOS)

2,421.88 ft²

DIMENSIONES DIMENSIONS

LONGITUD TOTAL	66.62 m
L.O.A	218.56 ft
LONGITUD ENTRE PERPENDICULARES	61.88 m
L.P.P	203.01 ft
VIGA	12.80 m
BEAM	41.99 ft
PROFUNDIDAD A LA CUBIERTA	5.50 m
DEPTH TO MAIN DECK	18.08 ft
CALADO	4.55 m
DRAUGHT	14.92 ft
TONELAJE BRUTO	1,502 ton
GROSS TONNAGE	
TONELAJE NETO	450 ton
NET TONNAGE	

MAQUINARIA MACHINERY

MOTORES PRINCIPAL

MAIN ENGINES

- 3 x Caterpillar C-32 (Diesel Electric) 910kW each one

TOTAL kw

TOTAL Kw

- 2,730 eKw

BOW THRUSTERS

- 2 x VETH 450 kW each one Tunnel

PROPULSORES PRINCIPALES

MAIN PROPULSION

- 2 x Azimuth VETH 950 kW each one

SISTEMA DE POSICIONAMIENTO

POSITIONING SYSTEM

- NAVIS Nav DP400 & Independent Control System with Joystick

SISTEMAS DE REFERENCIAMIENTO

REFERENCE SYSTEMS

- 2 x DGPS
- 1 x CYSCAN (Laser Radar)